



## 3M™ Silicone Lubricant

**Part Number: 3M-SIL-LUB-24OZ-IND**

3M™ Silicone Lubricant, 24 fl oz Aerosol Can

Lubricant with a silicone base release agent suitable for industrial lubrication applications.

<div><br></div>

Volume -----

24 oz

### Product Description

3M™ Silicone Lubricant is ideal for lubricating machinery and moving parts. It eliminates squeaks caused by friction, prevents sticking and freezing, and protects against rust. It can also aid in the prevention of glues, wax, inks and paints build up.

### Product Advantages

- Fast drying
- Long Lasting
- Non Staining



## Technical Documents

MATERIAL SAFETY DATA SHEET 3M(TM) Silicone Lubricant 07/12/13



### Material Safety Data Sheet

Copyright, 2013, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** 3M(TM) Silicone Lubricant  
**MANUFACTURER:** 3M  
**DIVISION:** Industrial Adhesives and Tapes Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000

**EMERGENCY PHONE:** 1-800-364-3577 or (651) 737-6501 (24 hours)

**Issue Date:** 07/12/13  
**Supersedes Date:** 08/04/10

**Document Group:** 05-6937-6

#### Product Use:

**Limitations on Use:** Sale and use severely restricted due to high VOC in CT, DE, ME, MD, NH, NJ, NY, PA, RI, VA, DC, in CA per R-1168.  
**Intended Use:** Industrial use

#### SECTION 2: INGREDIENTS

<u>Ingredient</u>	<u>C.A.S. No.</u>	<u>% by Wt</u>
ISOBUTANE	75-28-5	70 - 80
HEPTANE	142-82-5	15 - 25
POLY(DIMETHYLSILOXANE)	63148-62-9	3 - 7

#### SECTION 3: HAZARDS IDENTIFICATION

##### 3.1 EMERGENCY OVERVIEW

**Odor, Color, Grade:** in aerosol, transparent, very slight odor

**General Physical Form:** Liquid

**Immediate health, physical, and environmental hazards:** Closed containers exposed to heat from fire may build pressure and explode. Extremely flammable liquid and vapor. Vapors may travel long distances along the ground or floor to an ignition source and flash back. May cause target organ effects. May cause frostbite.

##### 3.2 POTENTIAL HEALTH EFFECTS

Page 1 of 8

View this product online at <https://marathonhardware.com/pd/3M-SIL-LUB-24OZ-IND>

