Printed on: 2024-May-18







Top Stays Lift System 1800-3500PF **Heavy Weight**

Part Number: 105-SQ00AH

DTC Top Stays SQ Soft-Close Lift System 1800-3500 PF Heavy Weight

Hinge-less lift system from DTC is the perfect solution for upper cabinets. Heavy duty high quality steel mechanism, with infinity soft-close system.

<div>
</div>

| | Adjustment Type 3-Way |
|---|-----------------------------------|
| | Angle 107 |
| | Application Type Flap Door |
| | Closing Type Soft-Close |
| | Door Height Range 250 to 500 mm |
| | Force H (Heavy) |
| | Min. Cabinet Depth 240mm (9-1/2") |
| | Opening Action Progressive |
| | Power Factor Range 1800 - 3500 |
| · | |

Product Description

Attractive design and absolute functionality are the two most important aspects in today's kitchen. The Top Stays lift system offer just that through an inconspicuous look and a rugged, yet customizable design. The hinge-less lift system is an optimal upper cabinet solution for saving space and increasing access to multiple upper cabinets simultaneously.

Learn more about Top Stays

Product Advantages

- · 3 mechanism kits cover most common doors
- · Stays open at any desired angle
- · Opening angle and closing speed adjustments
- · 3-way door gap position adjustments
- · Integrated Infinity Soft-Close
- · Certified for 60,000 cycles

How to Order? Calculate your Power Factor:

Important Information

- Cabinet Width: Supports up to 1200mm (47 1/4")
- Cabinet Height Range: 250 500mm (9 7/8 –19 3/4")
- Door Thickness: 16–28mm (5/8 1 1/8")
- 107° door opening with optional restrictors

Product Application

Perfect movement starts with correct power factor specific to your door's weight and height. If two factors align, we recommend to move up to the next strength or do a trial.


Top-Stays Power Factor Formula:

Power Factor = Overall Cabinet Height (mm) x Door Weight (kg, including 2x weight of handle)

Calculate your Power Factor:



Technical Documents



View this product online at https://marathonhardware.com/pd/105-SQ00AH

| Pag | le | 4 | / | 4 |
|-----|----|---|---|---|
| | | | | |