



Adhesive & Activator Solo Kit

Part Number: F2P10SOLO

2P-10 Adhesive & Activator Kit

Two-Part Ten-Second (2P10) Solo Kit including 2 oz Adhesive and 12 oz Activator aerosol can.

<div>
</div>

Product Description

This is part of the FastCap 2P-10 Adhesive program. As a two-part 10-second adhesive, just apply the adhesive and then spray the activator. This will enable anything to stick for a strong, permanent bond.

Product Advantages

- Speed and strength
- 10 seconds to bond
- Start sanding within 60 seconds
- Dries crystal clear
- 4000 PSI tensile and sheer
- Breaks the wood, not the glue!

Included Products

This starter kit includes a 12 oz. Activator aerosol spray can and a 2 oz. bottle of Thick purpose Adhesive.

Product Application

Apply adhesive to your material and then spray the activator. Stick your materials together for a strong, permanent bond.



Technical Documents



5016 Pacific Highway
Ferndale, WA 98248
Phone: 1-888-443-3748
Fax: 1-360-650-1075



SAFETY DATA SHEET

Version: 1.0
Revision Date: 02/03/2020

1. Identification

Product identifier: 2P-10 ACTIVATOR (AEROSOL)

Other means of identification

SDS number: RE1000010167

Recommended restrictions

Product use: Coating

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: FAST CAP, L.L.C.
Address: 5016 PACIFIC HWY.
FERNDALE, WA 98248
Telephone: 1-888-443-3748
Fax: 1-360-650-1075

Emergency telephone number: 888-740-8712

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Skin sensitizer Category 1

Carcinogenicity Category 2

Specific Target Organ Toxicity -
Single Exposure Category 3¹

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic
environment Category 3

Label Elements

Hazard Symbol:



Signal Word:

Danger

SDS_US - RE1000010167

1/13

View this product online at <https://marathonhardware.com/pd/F2P10SOLO>



Technical Documents



5016 Pacific Highway
Ferndale, WA98248
Phone: 1-888-443-3748
Fax: 1-360-650-1075

Safety Data Sheet



according to Regulation (EC) No 1907/2006

2P-10 Activator

Print date: 05.17.2018

2P-10 Activator

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2P-10 Activator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Industrial and professional use.

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: FastCap LLC
Place: 5016 Pacific Highway Ferndale, WA 98248
Telephone: +1 360-752-2138
Internet: www.fastcap.com
Responsible Department: info@fastcap.com

1.4. Emergency telephone number:

Chemtec 1-800-262-8200

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Specific target organ toxicity - single exposure: STOT SE 3
Hazard Statements:
Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazardous components which must be listed on the label

Acetone

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use Water spray, Carbon dioxide, Extinguishing powder, Dry extinguishing powder, alcohol resistant foam, to extinguish.

Revision No: 1.00

GB - EN

Revision date: 05.17.2018

View this product online at <https://marathonhardware.com/pd/F2P10SOLO>



Technical Documents



5016 Pacific Highway
Ferndale, WA 98248
Phone: 1-888-443-3748
Fax: 1-360-650-1075



Safety Data Sheet

Revision Date 10/11/19

Page 1/11

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY UNDERTAKING

1.1. Product identifier

Product name	2P-10 SOLO THICK 2 O / 2P-10 THICK 10 OZ / 2P-10 RT THICK 2.25 / 2P-10 RT THICK 10 OZ / 2P-10 KIT / 2P-10 SOLOKIT
Product Grade	2P-10 THICK
CAS number	7085-85-0
EC number	230-391-5
REACH number	01-2119527766-29-0001

1.2. Relevant identified uses of the substance and uses advised against

Applications	Industrial adhesives application Consumer use of adhesives
--------------	---

1.3. Details of the supplier of the safety data sheet

Name	FastCap LLC
Address	5016 Pacific Highway Ferndale, WA 98248 USA
Telephone	1-360-752-2138
Fax	1-360-650-1075
Contact email	info@fastcap.com

1.4. Emergency telephone number

Chemtrec Telephone	1-800-262-8200
--------------------	----------------

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance

2.1.1. Classification of the product according to DSD (67/548/EC)

XI IRRITANT	R 36/37/38 Irritating to eyes, respiratory system and skin
-------------	--

2.1.2. Classification of the product according to CLP (1272/2008/EC)

Eye irrit. 2	H319 Causes serious eye irritation
STOT SE 3	H335 May cause respiratory irritation
Skin irrit. 2	H315 Causes skin irritation

2.2. Label elements according to CLP (1272/2008/EC)

Hazard pictograms



View this product online at <https://marathonhardware.com/pd/F2P10SOLO>

